

Notulae to the Italian native vascular flora: 19

Fabrizio Bartolucci¹, Gianniantonio Domina², Alessio Bertolli³, Raffaello Boni⁴,
Gabriele Galasso⁵, Cristina Caporusso⁶, Emanuele Del Guacchio⁷,
Valentina Lucia Astrid Laface⁸, Luigi Forte^{9,10}, Michele Lonati¹¹, Flavio Menini¹²,
Ilaria Mezza¹³, Francesco Napolitano¹⁴, Ginevra Nota¹¹, Mattia Pallanza^{6,15},
Gaetano Pazienza⁹, Giuseppe Pellegrino⁹, Filippo Prosser³, Annalisa Santangelo⁷,
Giulia Tomasi³, Luigi Torino⁸, Daniele Viciani¹⁶, Lorenzo Lastrucci¹⁷

1 Centro Ricerche Floristiche dell'Appennino (Università di Camerino - Parco Nazionale del Gran Sasso e Monti della Laga), Via Prov.le km 4,2 - San Colombo, 67021 Barisciano (L'Aquila), Italy **2** Dipartimento di Scienze Agrarie, Alimentari e Forestali (SAAF), Università di Palermo, Viale delle Scienze, edificio 4, 90128 Palermo, Italy **3** Fondazione Museo Civico di Rovereto, Borgo S. Caterina 41, Rovereto 38068 (Trento), Italy **4** Traversa via Castello 8/3, 37010 Rivoli Veronese (Verona), Italy **5** Sezione di Botanica, Museo di Storia Naturale di Milano, Corso Venezia 55, 20121 Milano, Italy **6** Dipartimento di Scienze della Terra e dell'Ambiente, Università degli studi di Pavia, Via Sant'Epifanio 14, 27100 Pavia, Italy **7** Dipartimento di Biologia e Orto Botanico, Università di Napoli Federico II, c/o Orto Botanico, Via Foria 223, 80139 Napoli, Italy **8** Dipartimento di Agraria, Università "Mediterranea" di Reggio Calabria, Feo di Vito snc, 89122 Reggio Calabria, Italy **9** Dipartimento di Bioscienze, Biotecnologie e Ambiente, Campus Universitario "E. Quagliariello", Università degli Studi di Bari "Aldo Moro", Via Orabona 4, 70125 Bari, Italy **10** Museo Orto Botanico, Campus Universitario "E. Quagliariello", Università degli Studi di Bari "Aldo Moro", Via Orabona 4, 70125 Bari, Italy **11** Dipartimento di Scienze Agrarie, Forestali e Alimentari, Università degli Studi di Torino, Largo Paolo Braccini 2, 10095 Grugliasco (Torino), Italy **12** Via Domenico Ricci 4, 37042 Caldiero (Verona), Italy **13** Dipartimento di Bioscienze e Territorio, Università degli Studi del Molise, Via Hertz s.n.c., 86090 Pesche (Isernia), Italy **14** Via Ugo La Malfa, 12-80011 Acerra, Italy **15** National Biodiversity Future Center, Piazza Marina 61, Palermo 90133, Italy **16** Dipartimento di Biologia, Università di Firenze, Via G. La Pira 4, 50121 Firenze, Italy **17** Sistema Museale di Ateneo, Università di Firenze, Via G. La Pira 4, 50121 Firenze, Italy

Corresponding author: Fabrizio Bartolucci (fabrizio.bartolucci@unicam.it)

Academic editor: Lorenzo Peruzzi | Received 21 May 2025 | Accepted 23 May 2025 | Published 6 June 2025

Citation: Bartolucci F, Domina G, Bertolli A, Boni R, Galasso G, Caporusso C, Del Guacchio E, Laface VLA, Forte L, Lonati M, Menini F, Mezza I, Napolitano F, Nota G, Pallanza M, Pazienza G, Pellegrino G, Prosser F, Santangelo A, Tomasi G, Torino L, Viciani D, Lastrucci L (2025) Notulae to the Italian native vascular flora: 19. Italian Botanist 19: 143–154. <https://doi.org/10.3897/italianbotanist.19.159733>

Abstract

In this contribution, new data concerning the distribution of native vascular flora in Italy are presented. It includes new records, confirmations, and exclusions to the Italian administrative regions for taxa in the genera *Carex*, *Filago*, *Koeleria*, *Lonicera*, *Myosotis*, *Phleum*, *Potamogeton*, *Stachelina*, *Verbascum*, *Zannichellia*. Nomenclatural and distribution updates, published elsewhere, and corrigenda are provided as Suppl. material 1.

Keywords

Endemic taxa, Floristic data, Italy, Nomenclature, Taxonomy

How to contribute

The text for the new records, exclusions, and confirmations should be submitted electronically to Lorenzo Lastrucci (lorenzo.lastrucci@unifi.it). The corresponding specimen along with its scan or photograph have to be sent to FI Herbarium: Sezione di Botanica “Filippo Parlatore” del Museo di Storia Naturale, Via G. La Pira 4, 50121 Firenze (Italy). Those texts concerning nomenclatural novelties and typifications (only for accepted names) should be submitted electronically to: Fabrizio Bartolucci (fabrizio.bartolucci@gmail.com). Each text should be within 1,000 characters (spaces included).

Floristic records of native taxa

Carex leersii F.W.Schultz (Cyperaceae)

+ **ABR**: Barisciano (L'Aquila), (WGS84: 42.3373°N, 13.59760°E), vicinanze Convento di San Colombo, scarpata stradale, 1100 mslm, 31 May 2023, *M. Pallanza* (FI). – Species new for the flora of Abruzzo.

This species is already reported in the Apennines for the regions of Calabria, Campania, Lazio and Marche. It is reasonable to think that the species is present also in the other neighboring regions but overlooked or confused with the closely related *Carex divulsa* Stokes.

M. Pallanza

Koeleria cenisia Reut. ex E.Rev. (Poaceae)

+ **LIG**: Mendatica (Imperia), tra M. Frontè e Passo di Garlenda (WGS84: 44.053015°N, 7.753046°E), cresta rocciosa calcarea, 2027 m, 20 August 2024, *M. Lonati*, *G. Nota* (FI). – Species confirmed for the flora of Liguria.

Koeleria cenisia is endemic to the Western Alps. In Italy, the species ranges from the Pennine to the Ligurian Alps, occurring in Valle d'Aosta and Piemonte and with historical records in Liguria (Bartolucci et al. 2024; Bertolli et al. 2024). At the site where the species was observed, *K. cenisia* is relatively abundant, growing in rocky grasslands dominated by *Hieracium tomentosum* L. and *Helictotrichon sempervirens* (Vill.) Pilg.

M. Lonati, G. Nota

***Lonicera xylosteum* L. (Caprifoliaceae)**

– **CAM:** Species to be excluded from the flora of Campania.

This species was reported by Tenore (1813) for the Matese massif (partly included in Campania), but later limited by the same author to the Central Apennines (Mt. Corno, Abruzzo) (Tenore 1831). *Lonicera xylosteum* can be found in Herbarium Tenore (NAP!) from Abruzzo and Sicily. It was reported for Campania by Pignatti (1982), presumably basing on Fiori (1927), who in turn transformed into “Campania” the previous indication “Terra di Lavoro” of the first edition of Flora Analitica d’Italia (Béguinot 1903). This latter indication derived from Terracciano (1872, 1874, 1878) (cf. Tanfani 1887), who, however, referred to localities nowadays in southern Lazio. Finally, the most recent indication for the Benevento province (Guarino et al. 2003) is erroneous (F. Napolitano, obs. pers.).

E. Del Guacchio, F. Napolitano, A. Santangelo

***Lonicera periclymenum* L. (Caprifoliaceae)**

– **CAM:** Species to be excluded from the flora of Campania.

This species was reported in the national floras for the province of Avellino (e.g., Tanfani 1887; Fiori 1927; Pignatti 1982), after the indication of *L. periclymenum* var. *villosa* Ten. for the mounts of Irpinia (Tenore 1831). The indication for the province of Salerno (“Salernit. (TEN.)”) by Béguinot (1903) is an obvious error. However, at NAP there is only a pertinent specimen, i.e. NAP0005279, which lacks any original label, but one by L. Grande. This author indicated Tenore as the collector and annotated “in montibus Hirpinis?”, observing that the leaves do not agree with the description (Tenore 1831). Therefore, it is impossible to link this specimen to the record by Tenore (1831). It is also to be noted that Tenore (1813) had indicated *L. periclymenum* very generically for the Kingdom of Naples (central and southern Italy), where the species does not occur (Bartolucci et al. 2024), or as a cultivated plant. Finally, the indication by Amabile (1850) for the same area might be a mere quotation of Tenore (1831), not resumed by further scholars.

E. Del Guacchio, F. Napolitano, A. Santangelo

***Myosotis pusilla* Loisel. (Boraginaceae)**

+ **CAL:** Motta San Giovanni (Reggio Calabria), Località Scariglione, (WGS84: 38.008629°N, 15.736408°E), formazioni rocciose in prossimità di un impianto di *Pinus* sp. pl., 845 m, 5 April 2024, V.L.A. Laface, L. Torino (REGGIO, FI); Motta San Giovanni (Reggio Calabria), Località Serro di Corico, (WGS84: 38.007262°N, 15.733185°E), formazioni rocciose in un impianto di *Pinus* sp. pl., 820 m, 9 April 2024, V.L.A. Laface, L. Torino (REGGIO). – Species new for the flora of Calabria.

Many individuals have been observed, growing near the rock formations that characterise the area. The species shares the habitat with *M. incrassata* Guss. and *M. ramosissima* Rochel subsp. *ramosissima*, but grows exclusively near rocks, unlike the other two species that prefer open spaces.

V.L.A. Laface, L. Torino

***Potamogeton trichoides* Cham. & Schltdl. (Potamogetonaceae)**

+ **PUG**: Barletta (Barletta), località “Ariscianne”, torrente Ariscianne presso Contrada Le Paludi (WGS84: 41.305780°N, 16.351072°E), canali con acque limpide, 1 m s.l.m., 26 June 2024, *C. Caporusso and G. Pazienza* (FI, BI Nos 59179, 59180, PAV).

– Species confirmed for the flora of Puglia.

This species was previously reported in Puglia at Foresta Umbra by Fenaroli (1974).

G. Pazienza, C. Caporusso

***Stachelina dubia* L. (Asteraceae)**

+ **VEN**: Costermano (Verona), Val Sassè, 250 m a NE di Roncolà (WGS84: 45.620066°N, 10.733013°E), 466 m, 27 October 2023, pendio sassoso arido semi-boscato su maiolica, *F. Prosser, G. Nardon*, det. *F. Prosser* (ROV-81220, FI). – Species new for the flora of Veneto.

At this site there are at least a hundred specimens of different ages (including seedlings) over an area of approx. 200 m², some of which have been destroyed by the recent construction of a downhill ski slope. It seems difficult to assume an artificial introduction because the site is located in a poorly disturbed area. The locality was discovered on 8 July 2023 by R. Boni. It is a W-Mediterranean species (Pignatti et al. 2018) unconfirmed in central-eastern Lombardia (Martini et al. 2012); the closest occurrences are probably in the Reggiano (Alessandrini and Branchetti 1997).

R. Boni, F. Prosser

***Verbascum thapsus* L. subsp. *montanum* (Schrad.) Bonnier & Layens (Scrophulariaceae)**

+ **ABR**: Campo di Giove (L'Aquila), Le Piane (WGS84: 41.997429°N, 14.070770°E), prato al bordo stradale, 1148 m, 27 July 2024, *G. Pellegrino*, Det. *G. Pellegrino, L. Forte* (FI; BI No. 59182). – Subspecies new for the flora of Abruzzo.

This subspecies, reported in the past for the National Park of Abruzzo, Lazio and Molise but in the Lazio territory near the border with Abruzzo (“*sui Monti di Pescosolido*” Terracciano 1873 sub *V. montanum* Rom. et Schultz, “*presso la Brecciosa (Pescosolido)*”, Falqui 1899 sub *V. montanum* Schrad.), was either considered a synonym of *V. thapsus* L. by Conti and Bartolucci (2015) or was not reported for the Park (Conti and Bartolucci 2022). Instead, it had not yet been reported for the Maiella National Park (Conti et al. 2019, 2020), where it is here reported.

G. Pellegrino, L. Forte

***Zannichellia peltata* Bertol. (Potamogetonaceae)**

+ **MOL**: Morrone del Sannio (Campobasso), Fiume Biferno (WGS84: 41.766492°N, 14.780483°E), 10 July 2024, *L. Lastrucci, D. Viciani, R. Di Pietro, P. Fortini, I. Mezza*, det. *L. Lastrucci* (FI barcode 01583956); *ibidem*, campioni raccolti in comunità

paucispecifica a dominanza di *Z. peltata*, in situazione di acqua debolmente fluente con profondità di 10–15 cm, adiacente a isolotto di sassi stabilizzati, 10 July 2024, *L. Lastrucci, D. Viciani, R. Di Pietro, P. Fortini, I. Mezza*, det. *L. Lastrucci* (IS No. 05422); Petrella Bifernina (Campobasso), Fiume Biferno – Tiro a segno (WGS84: 41.717436°N, 14.684404°E), 10 July 2024, *L. Lastrucci, D. Viciani, R. Di Pietro*, det. *L. Lastrucci* (FI barcode 01583957, IS Nos 05405, 05406); Larino (Campobasso), Fiume Biferno – Campo gara (WGS84: 41.857815°N, 14.886852°E), 11 July 2024, *L. Lastrucci, D. Viciani*, det. *L. Lastrucci* (FI barcode 01583958). – Species new for the flora of Molise.

This species is considered as taxonomically doubtful by Bartolucci et al. (2024), but this is probably due to past taxonomic misunderstandings, as it seems to be well differentiated from *Z. palustris* L. and other taxa of the group (Lastrucci et al. 2019). Moreover, in Molise we observed it in running waters rather than in standing or lentic ones.

D. Viciani, I. Mezza

Floristic records of regional alien taxa

Filago congesta Guss. ex DC. (Asteraceae)

+ (NAT) **TAA**: Nago-Torbole (Trento), Camping Al Cor (WGS84: 10.522072°N, 45.521427°E), 67 m, 9 April 2013, leg. A. Bertolli, F. Prosser, rev. F. Prosser 24/5/2023 (ROV-67083); *ibidem* 29 April 2015 leg. F. Prosser, A. Bertolli, G. Tomasi, S. Andreatta, rev. F. Prosser 24/5/2023 (ROV-69332, FI). – Naturalized regional alien species new for the flora of Trentino-Alto Adige.

+ (NAT) **VEN**: Malcesine (Verona), Camping Lombardi (WGS84: 45.476025°N, 10.491822°E), 90 m, 18 Mai 2006, leg. F. Prosser, R. Vicentini, rev. F. Prosser 22/1/2014 (ROV-49193); *ibidem* (WGS84: 45.784492°N, 10.821145°E), 1 June 2023, A. Bertolli, G. Tomasi (FI); Malcesine (Verona), Camping Bellavista (WGS84: 45.730039°N, 10.783702°E), 77 m, 25 Mai 2023, F. Prosser, G. Tomasi, F. Festi (ROV-81215); Malcesine (Verona), Camping Azzurro (WGS84: 45.790780°N, 10.827973°E), 70 m, 1 June 2023, A. Bertolli, G. Tomasi (ROV-81208); Malcesine (Verona), Camping Bommartini (WGS84: 45.808303°N, 10.848326°E), 79 m, 1 June 2023, A. Bertolli, G. Tomasi (ROV-81211). – Naturalized regional alien species new for the flora of Veneto.

This species is similar to *Filago pyramidata* L., but with prostrate habit and pappus of central flowers absent or with few fragile bristles were noted during systematic explorations of campsites in the Garda of Trentino and Verona provinces since 2006 and identified as *F. congesta* since 2014 (Pignatti 1982; Andrés-Sánchez et al. 2019). Subsequent collections showed the progressive expansion of this Mediterranean species in campsites where it had already been found and its establishment in others, both in Trentino and Verona areas. Verloove et al. (2020) documented its presence in three campsites in the Netherlands and one in Belgium, confirming its marked ability to expand in this habitat. *Filago congesta* was also observed in Malcesine (Verona), Camping Campagnola (WGS84: 45.787339°N, 10.822929°E).

F. Prosser, A. Bertolli, G. Tomasi

***Phleum exaratum* Hochst. ex Griseb. (Poaceae)**

+ (NAT) **VEN**: Oppeano (Verona), presso Vallese, lungo il raccordo (lato W) tra Via Feniletto e Via degli Oppi (WGS84: 45.311096°N, 11.125120°E), 28 m, 29 May 2024, incolto sabbioso tra strada e campo, leg. *F. Prosser*, *F. Festi*, *G. Tomasi*, det. *F. Prosser* (ROV-81235, FI). – Naturalized regional alien species new for the flora of Veneto.

Eastern Steno-Mediterranean annual species reported in Italy in southern Apulia and Basilicata in Matera (Pignatti et al. 2017). Various casual occurrences are known in Middle Europe (Conert 1998). Near Vallese this species is frequent on sandy soil up to 400 m NE (ROV-81239, ROV-81240) and up to 1400 m E of the given point (obs. F. Menini), on an area of at least 20 ha, where it colonises roadside verges, uncultivated land, a wheat field and a dry meadow. The identification was made also on the basis of El-Gazzar et al. (2016).

F. Prosser, F. Menini

Nomenclatural and distribution updates from other literature sources

Nomenclatural and distribution updates, and corrigenda to Bartolucci et al. (2024) according to Merxmüller and Grau (1969), Steinberg (1971), van Slageren (1994), Marhold (1999), Robson (2010), Small (2011), Kirschner and Štěpánek (2012), Quintanar and Castroviejo (2013), Raab-Straube and Henning (2017+), De Santis and Soldati (2019), Schnittler et al. (2019), Brullo and Brullo (2020), Chen et al. (2022), German (2022), Labadessa and Ancillotto (2023), Wisskirchen (2023), Applequist (2024), Bacchetta et al. (2024), Bartolucci and Conti (2024), Bertolli et al. (2024), Bovio (2024), Bovio et al. (2024), Brullo et al. (2024), Bruschi et al. (2024), Cambria and Di Gregorio (2024), Cambria et al. (2024), Capuano et al. (2024), Colleoni and Manigli (2024), Dagnino and Ardenghi (2024), Dagnino and Turcato (2024), De Luca et al. (2024), Gallo (2024), Iamónico and Mereu (2024), Kobrlová et al. (2024), Kovalchuk (2024), Laghi and Miserocchi (2024), Leoni (2024a, 2024b, 2024c), Leoni and Perico (2024), Manigli and Perico (2024), Reinhart et al. (2024), Barberá et al. (2025), Conti et al. (2025), Kravanja et al. (2025), Lussu et al. (2025), Maylandt et al. (2025), Pallanza et al. (2025), Peruzzi et al. (2025), Peterson et al. (2025), Pierini and Peruzzi (2025), POWO (2025+) and Schuettpelz et al. (2025) are provided in Suppl. material 1.

F. Bartolucci, G. Galasso

Acknowledgments

We gratefully acknowledge the following colleagues who provided distribution, nomenclatural, and taxonomic advice: Duilio Iamónico, Dino Marchetti, Edoardo Martinetto, Enrico Banfi, Marco Iocchi, Giacomo Mei, Rocco Labadessa, Fernando Lucchese, Lorenzo Peruzzi, Federico Selvi, Robert P. Wagensommer, Thomas Wilhalm. We thank the director and the curator of NAP for providing images of Tenore's collection.

References

- Alessandrini A, Branchetti G (1997) Flora Reggiana. Cierre Ed., Verona, 312 pp.
- Amabile L (1850) Supplimento alla Flora irpina. Tipografia di Federico Vitale, Avellino.
- Andrés-Sánchez S, Martínez-Ortega MM, Rico E (2019) *Filago*. In: Benedí C, Buira A, Rico E, Crespo MB, Quintanar A, Aedo C (Eds) Flora Iberica, Vol. XVI (III). Compositae (partim): 1672–1705. Real Jardín Botánico, CSIC, Madrid.
- Applequist W (2024) Report of the Nomenclature Committee for Vascular Plants: 76. Taxon 73: 1510–1522. <https://doi.org/10.1002/tax.13266>
- Bacchetta G, Cambria S, de Castro O, Fenu G, Brullo S (2024) *Centranthus pontecorvi* (Valerianaceae) a new species from Sardinia. Phytotaxa 661(3): 253–266. <https://doi.org/10.11646/phytotaxa.661.3.3>
- Barberá P, Soreng RJ, Peterson PM, Garcia-Porta J, Romaschenko K, Aedo C, Quintanar A (2025) Phylogenetics and reticulation among koelerioid clades, part I: Contraction of *Trisetum*, expansion of *Acrospelion*, *Graphephorum*, and *Tzveleviochloa*; *Graciliotrisetum* gen. nov. and resurrection of *Aegialina* (Poaceae, Pooideae, Poeae, Aveninae). Journal of Systematics and Evolution 63(3): 629–655. <https://doi.org/10.1111/jse.13133>
- Béguinot A (1903) *Lonicera* L. In: Fiori A, Paoletti G [continued by Fiori A & Béguinot A] (Eds) Flora Analitica d'Italia, Vol. 3(1). Tipografia del Seminario, Padova [Padua].
- Bertolli A [Ed.], Adorni M, Alessandrini A, Andreatta S, Ardenghi NMG, Argenti C, Bona E, Bovio M, Dellavedova R, Gallino B, Kleih M, Mainetti A, Martini F, Peccenini S, Prosser F, Scortegagna S, Selvaggi A, Tomasi G, Wilhalm T (2024) Flora endemica del Nord Italia. Athesia/Fondazione Museo Civico di Rovereto, Bolzano.
- Bartolucci F, Conti F (2024) Lectotypification and taxonomy of the Italian endemic *Biscutella incana* (Brassicaceae). Plant Biosystems 158(5): 1136–1140. <https://doi.org/10.1080/11263504.2024.2392581>
- Bartolucci F, Peruzzi L, Galasso G, Alessandrini A, Ardenghi NMG, Bacchetta G, Banfi E, Barberis G, Bernardo L, Bouvet D, Bovio M, Calvia G, Castello M, Cecchi L, Del Guacchio E, Domina G, Fascetti S, Gallo L, Gottschlich G, Guarino R, Gubellini L, Hofmann N, Iberite M, Jiménez-Mejías P, Longo D, Marchetti D, Martini F, Masina RR, Medagli P, Peccenini S, Prosser F, Roma-Marzio F, Rosati L, Santangelo A, Scoppola A, Selvaggi A, Selvi F, Soldano A, Stinca A, Wagensommer RP, Wilhalm T, Conti F (2024) A second update to the checklist of the vascular flora native to Italy. Plant Biosystems 158(2): 219–296. <https://doi.org/10.1080/11263504.2024.2320126>
- Bovio M (Eds) (2024) Note di aggiornamento al volume Flora vascolare della Valle d'Aosta – 10. Revue Valdotaïne d'Histoire Naturelle 78: 111–120.
- Bovio M, Fraser-Jenkins CR, Marchetti D (2024) *Dryopteris affinis* (Lowe) Fraser-Jenk. subsp. *pseudodisjuncta* (Tavel ex Fraser-Jenk.) Fraser-Jenk., a new taxon for Italy and Valle d'Aosta. Revue Valdotaïne d'Histoire Naturelle 78: 91–94.
- Brullo C, Brullo S (2020) Flora endemica illustrata della Sicilia. Laruffa Ed., Reggio Calabria, 448 pp.
- Brullo S, Calvia G, Cambria S, Siracusa G, Galdo GGD, Bacchetta G (2024) Taxonomical remarks on *Solenopsis corsica* (Campanulaceae) species complex, with the description of two new species from Sardinia. Phytotaxa 677: 233–250. <https://doi.org/10.11646/phytotaxa.677.3.4>

- Bruschi T, Polverelli L, Santi F, Muscioni M, Ardenghi NMG (2024) Aggiornamento delle conoscenze sulla flora vascolare della Repubblica di San Marino. *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 59: 99–114.
- Cambria S, di Gregorio B (2024) Flora di Sicilia e delle isole circumsiciliane. *Monografie Naturalistiche* 7.
- Cambria S, Blandino C, Cristaudo A (2024) New data on the morphology, ecology and distribution of *Lupinus gredensis* (Fabaceae) in the Mediterranean region. *Italian Botanist* 18: 123–140. <https://doi.org/10.3897/italianbotanist.18.132924>
- Capuano A, Montepaone G, Lazzeri V, Caruso G (2024) *Salsola tragus* L. (Amaranthaceae) and *Thymelaea gussonei* Boreau (Thymelaeaceae): new records for the native vascular flora of Calabria (S-Italy) with some remarks about their taxonomy and distribution. *Research Journal of Ecology and Environmental Sciences* 4(1): 61–79. <https://doi.org/10.31586/rjees.2024.883>
- Chen Y-P, Turdimatovich TO, Nuraliev MS, Lazarević P, Drew BT, Xiang C-L (2022) Phylogeny and biogeography of the northern temperate genus *Dracocephalum* s.l. (Lamiaceae). *Cladistics* 38: 429–451. <https://doi.org/10.1111/cla.12502>
- Colleoni G, Mangili L (2024) 142. *Ferula communis* L. (Apiaceae) – Ferula comune. In: Perico G (Ed.) Segnalazioni floristiche. XXII contributo. *Notiziario Floristico del Gruppo Flora Alpina Bergamasca* 65: 9.
- Conert HJ (1998) Poaceae. In: Hegi G, *Illustrierte Flora von Mitteleuropa*, Band I, Teil 3. Parey, Berlin, 898 pp.
- Conti F, Bartolucci F (2015) The Vascular Flora of the National Park of Abruzzo, Lazio and Molise (Central Italy): an annotated checklist. *Geobotany Studies*; Springer: Cham, Switzerland. <https://doi.org/10.1007/978-3-319-09701-5>
- Conti F, Bartolucci F (2022) La flora vascolare del Parco Nazionale D'Abruzzo, Lazio e Molise. FastEdit: Acquaviva Picena, Ascoli Piceno.
- Conti F, Ciaschetti G, Di Martino L, Bartolucci F (2019) An annotated checklist of the vascular flora of Majella National Park (Central Italy). *Phytotaxa* 412(1): 1–90. <https://doi.org/10.11646/phytotaxa.412.1.1>
- Conti F, Bartolucci F, Ciaschetti G, Manzi A, Di Martino L (2020) Flora del Parco Nazionale della Majella. Poligrafica Mancini, San Giovanni Teatino (Chieti).
- Conti F, Falcinelli F, Bracchetti L, De Santis E, Guiggi A, Manzi A, Palermo D, Muñoz-Rodríguez P, Wood JRI, Bartolucci F (2025) New additions to the vascular flora of central and southern Italy. *Flora Mediterranea* 35: 5–14. <https://doi.org/10.7320/FlMedit35.005>
- Dagnino D, Ardenghi NMG (2024) Segnalazione di alcune entità interessanti del genere *Festuca* Tourn. ex L. (Poaceae) in Liguria occidentale. *Doriana* 9 (432): 1–12.
- Dagnino D, Turcato C (2024) Aggiornamenti floristici dalle indagini propedeutiche alla realizzazione dei Piani di Gestione di alcune Zone Speciali di Conservazione della Liguria. *Annali del Museo Civico di Storia Naturale “G. Doria”* 117: 67–86.
- De Luca D, Del Guacchio E, Cennamo P, Minutillo F, Bernardo L, Caputo P (2024) Genetics and distribution of the Italian endemic *Campanula fragilis* Cirillo (Campanulaceae). *Plants* 13(22): 3169. <https://doi.org/10.3390/plants13223169>
- De Santis E, Soldati R (2019) *Lucoli e i suoi fiori. La flora spontanea del territorio*. C.M. Graf, L'Aquila.

- El-Gazzar A, Eisa AM, Khattab AA (2016) Computer generated key and descriptions of *Phleum* species (Poaceae). *Webbia* 71(1): 25–35. <https://doi.org/10.1080/00837792.2015.1119955>
- Falqui G (1899) Contributo alla Flora del bacino del Liri. *Atti Accademia Scienze fisiche e naturali di Napoli*, ser. 2, 9: 1–51.
- Fenaroli L (1974) *Florae Garganicae Prodrum*: Pars quarta. *Webbia* 29(1): 123–301. <https://doi.org/10.1080/00837792.1974.10670021>
- Fiori A (1927) *Nuova flora analitica d'Italia*, Vol. 2(5). Tipografia di M. Ricci, Firenze [Florence].
- Gallo L (2024) New contribution to the knowledge of Italian Crassulaceae. Miscellaneous notes on distribution, nomenclature, and taxonomy. *Annali dei Musei Civici-Rovereto. Sezione Archeologia, Storia, Scienze Naturali* 40: 35–43.
- German DA (2022) Critical notes on Cruciferae. *Turczaninowia* 25(2): 55–61. <https://doi.org/10.14258/turczaninowia.25.2.4>
- Guarino C, Napolitano F, Spadaro V (2003) The officinal Flora of Sannio (Benevento, SE - Italy). *Boccone* 144: 1–168.
- Iamónico D, Mereu G (2024) On the occurrence of *Oxybasis rubra* (Amaranthaceae) in Sardinia, with notes on *Chenopodium blitoides* and *C. humile*. *Collectanea Botanica* 43: e0003. <https://doi.org/10.3989/collectbot.2024.v43.0003>
- Kirschner J, Štěpánek J (2012) Taxonomic and nomenclatural revision of the *Taraxacum subdolum* group of *T.* sect. *Palustria*. *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Österreich* 148/149: 185–195.
- Kobřlová L, Jandová M, Vojtěchová K, Šafářová L, Duchosla M (2024) New estimates and synthesis of chromosome numbers, ploidy levels and genome size variation in *Allium* sect. *Codonoprasum*: advancing our understanding of the unresolved diversification and evolution of this section. *Botanical Studies* 65: 40. <https://doi.org/10.1186/s40529-024-00446-8>
- Kovalchuk A (2024) Typification of the name *Symphytum nodosum* (Boraginaceae). *Phytotaxa* 671(2): 175–182. <https://doi.org/10.11646/phytotaxa.671.2.6>
- Kravanja M, Dolenc Koče J, Frajman B (2025) Out of Liguria: How polyploidy affected diversification of the sweet spurge (*Euphorbia dulcis*, Euphorbiaceae), European widespread forest species. *Perspectives in Plant Ecology, Evolution and Systematics* 67: 125861. <https://doi.org/10.1016/j.ppees.2025.125861>
- Labadessa R, Ancillotto L (2023) Small but irreplaceable: the conservation value of landscape remnants for urban plant diversity. *Journal of Environmental Management* 339: 117907. <https://doi.org/10.1016/j.jenvman.2023.117907>
- Laghi P, Miserocchi D (2024) Segnalazioni Floristiche n. 169. *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 59: 376.
- Lastrucci L, Ardenghi NM, Alessandrini A (2019) Emerging from the flow of time: lectotypification of the name *Zannichellia peltata* Bertol. (Potamogetonaceae) and its taxonomic history. *Phytotaxa* 406(1): 81–83. <https://doi.org/10.11646/phytotaxa.406.1.6>
- Leoni G (2024a) 129. *Linaria purpurea* (L.) Mill. (Plantaginaceae) – *Linaria purpurea*. In: Perico G (Ed.) Segnalazioni floristiche. XXII contributo. *Notiziario Floristico del Gruppo Flora Alpina Bergamasca* 65: 7.

- Leoni G (2024b) 151. *Conringia austriaca* (Jacq.) Sweet. (Brassicaceae) – *Conringia austriaca*. In: Perico G (Ed.) Segnalazioni floristiche. XXIII contributo. Notiziario Floristico del Gruppo Flora Alpina Bergamasca 66: 20.
- Leoni G (2024c) 155. *Buglossoides incrassata* (Guss.) I.M.Johnst. subsp. *permixta* (Jord.) L.Cecchi & Selvi (Boraginaceae) – Erba perla confusa. In: Perico G (Ed.) Segnalazioni floristiche. XXIII contributo. Notiziario Floristico del Gruppo Flora Alpina Bergamasca 66: 21.
- Leoni G, Perico G (2024) 161. *Vicia benghalensis* L. (Fabaceae) – Veccia rosso-nera, Veccia del Bengala. In: Perico G (Ed.) Segnalazioni floristiche. XXIII contributo. Notiziario Floristico del Gruppo Flora Alpina Bergamasca 66: 22.
- Lussu M, Buldrini F, Magrini S (2025) The predicted extinction of *Dactylorhiza elata* (Poir.) Soó subsp. *sesquipedalis* (Willd.) Soó in Italy: why we should care more about populations in biological conservation. Rendiconti Lincei. Scienze Fisiche e Naturali 36: 303–313. <https://doi.org/10.1007/s12210-024-01300-6>
- Mangili L, Perico G (2024) 158. *Anethum ridolfia* Spalik & Reduron. (Apiaceae) – *Ridolfia delle messi*. In: Perico G (Ed.) Segnalazioni floristiche. XXIII contributo. Notiziario Floristico del Gruppo Flora Alpina Bergamasca 66: 22.
- Marhold K (1999) Taxonomic evaluation of the tetraploid population of *Cardamine amara* (Brassicaceae) from the Eastern Alps and adjacent areas. Botanica Helvetica 109: 67–84.
- Martini F, Bona E, Federici G, Fenaroli F, Perico G (2012) Flora vascolare della Lombardia centro-orientale, Vol. 1. Lint Editoriale, Trieste, 604 pp.
- Maylandt C, Kirschner P, Frajman B, Carnicero P, Schönswetter P (2025) *Astragalus austrobalcanicus*, a new species of *Astragalus* sect. *Caprini* from southern Albania and northern Greece. Phytotaxa 690(1): 1–16. <https://doi.org/10.11646/phytotaxa.690.1.1>
- Mazzoleni A, Lazzeri V (2024) 163. *Notobasis syriaca* (L.) Cass. (Asteraceae) – Cardo siriano. In: Perico G (Ed.) Segnalazioni floristiche. XXIII contributo. Notiziario Floristico del Gruppo Flora Alpina Bergamasca 66: 22.
- Pallanza M, Orsenigo S, Ardenghi NMG, Bernardo L, Šmarda P, Šarhanová P, Rossi G, Foggi B (2025) *Festuca silana* (Poaceae), a new species from the Sila plateau in Italy. PhytoKeys 255: 85–102. <https://doi.org/10.3897/phytokeys.255.146942>
- Peruzzi L, Pierini B, Arduini I, Bedini G, Franzoni J (2025) The vascular flora of Pisa (Tuscany, Central Italy). Plants 14(3): 307. <https://doi.org/10.3390/plants14030307>
- Peterson PM, Soreng RJ, Romaschenko K, Barberá P, Quintanar A, Aedo C, Saarela JM (2025) Phylogeny, biogeography, reticulation, and classification of *Agrostis* (Poaceae: Pooideae: Poaceae: Agrostidinae) with expansion of *Polypogon* to include *Lachnagrostis* (in part). Journal of Systematics and Evolution. <https://doi.org/10.1111/jse.13175>
- Pierini B, Peruzzi L (2025) The vascular flora of the Apuan Alps (Tuscany, Central Italy). Italian Botanist 19: 45–63. <https://doi.org/10.3897/italianbotanist.19.145947>
- Pignatti S (1982) Flora d'Italia, Vol. 2. Edagricole, Bologna.
- Pignatti S, Guarino R, La Rosa M [Eds] (2017) Flora d'Italia, 2nd edn., Vol. 1. Edagricole, Milano.
- Pignatti S, Guarino R, La Rosa M [Eds] (2018) Flora d'Italia, 2nd edn., Vol. 3. Edagricole, Milano.

- POWO (2025) [onwards] Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. <https://powo.science.kew.org/> [Accessed: 19.03.2025]
- Quintanar A, Castroviejo S (2013) Taxonomic revision of *Koeleria* (Poaceae) in the western Mediterranean Basin and Macaronesia. *Systematic Botany* 38: 1029–1061. <https://doi.org/10.1600/036364413X674698>
- Tanfani E (1887) *Lonicera*. In: Parlatore F [continued by Caruel T] (Eds) *Flora italiana*, Vol. 7(1): 120–135. Tipografia dei successori Le Monnier, Firenze [Florence].
- Raab-Straube E von, Henning T (2017) [onwards] *Valeriana* (excl. *V. officinalis* aggr.). Euro+Med Plantbase - the information resource for Euro-Mediterranean plant diversity. <https://europlusmed.org/> [Accessed: 01.04.2025]
- Reinhart T, Guillon L, Begoc T, Chapotin P, Reduron J-P, Espinosa Prieto A, Hardion L (2024) An integrative taxonomic revision of the *Chaerophyllum hirsutum* complex (Apiaceae) using morphological and molecular markers. *Plant Ecology and Evolution* 157(3): 399–406. <https://doi.org/10.5091/plecevo.124907>
- Robson NK (2010) Studies in the genus *Hypericum* L. (Hypericaceae) 5(1). Sections 10. *Olympia* to 15/16. *Crossophyllum*. *Phytotaxa* 4: 5–126. <https://doi.org/10.11646/phytotaxa.4.1.2>
- Schnittler M, Horn K, Kaufmann R, Rimgailė-Voicik R, Klahr A, Bog M, Fuchs J, Bennert HW (2019) Genetic Diversity and Hybrid Formation in Central European Club-Mosses (*Diphasiastrum*, Lycopodiaceae)—New Insights From Cp Microsatellites, Two Nuclear Markers and AFLP. *Molecular Phylogenetics and Evolution* 131: 181–192.
- Schuettpelz E, Windham MD, Prado J, Hooper EA, Yatskievych G, Huiet L, Picard KT, Pryer KM (2025) A phylogenetically informed generic reclassification of the hemionitid ferns (Pteridaceae: Cheilanthesoideae). *Taxon* 74(2): 260–291. <https://doi.org/10.1002/tax.13314>
- Small E (2011) Alfalfa and relatives: evolution and classification of *Medicago*. Ottawa, NRC Research Press. <https://doi.org/10.1079/9781845937508.0000>
- Steinberg C (1971) Revisione sistematica e distributiva delle *Adonis* annuali in Italia. *Webbia* 25(2): 299–351. <https://doi.org/10.1080/00837792.1971.10669936>
- Tenore M (1813) *Flora napolitana*, Vol. 1(4). Nella Stamperia Reale, Napoli [Naples].
- Tenore M (1831) *Sylloge plantarum vascularium florum neapolitanarum hucusque detectarum*. Tipografia del Fibreno, Neapoli [Naples].
- Terracciano N (1872) *Relazione intorno alle peregrinazioni botaniche fatte per disposizione della Deputazione provinciale di Terra di Lavoro in certi luoghi della provincia*. Nobile e Co., Caserta.
- Terracciano N (1873) *Seconda relazione intorno alle peregrinazioni botaniche fatte nella provincia di Terra di Lavoro*. Nobile e Co., Caserta.
- Terracciano N (1874) *Terza relazione intorno alle peregrinazioni botaniche fatte per disposizione della Deputazione provinciale di Terra di Lavoro in certi luoghi della provincia*. Nobile e Co., Caserta.
- Terracciano N (1878) *Quarta relazione intorno alle peregrinazioni botaniche fatte per disposizione della Deputazione provinciale di Terra di Lavoro in certi luoghi della provincia*. Nobile e Co., Caserta.
- van Slageren MW (1994) *Wild Wheats: A Monograph of Aegilops L. and Amblyopyrum* (Jaub. & Spach) Eig (Poaceae). Joint Publication of ICARDA, Aleppo, Syria and Wageningen Agricultural University, The Netherlands.

Verloove F, Gonggrijp S, Van Vooren P, Mortier B, Barendse R (2020) Campsites as unexpected hotspots for the unintentional introduction and subsequent naturalization of alien plants in Belgium and the Netherlands. *Gorteria* 42: 66–107.

Wisskirchen R (2023) Was ist *Chenopodium pedunculare* (Chenopodiaceae)? *Kochia* 16: 121–140. <https://doi.org/10.21248/kochia.v16.169>

Supplementary material I

Nomenclatural and distribution updates, and corrigenda to Bartolucci et al. (2024)

Authors: Fabrizio Bartolucci, Gabriele Galasso

Data type: pdf

Explanation note: 1. Nomenclatural updates; 2. Distribution updates; 3. Synonyms, misapplied or included names.

Copyright notice: This dataset is made available under the Open Database License (<http://opendatacommons.org/licenses/odbl/1.0/>). The Open Database License (ODbL) is a license agreement intended to allow users to freely share, modify, and use this Dataset while maintaining this same freedom for others, provided that the original source and author(s) are credited.

Link: <https://doi.org/10.3897/italianbotanist.19.159733.suppl1>